

Andrew Freistein 10/506,309

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptabf1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,
STN AnaVist, now available
NEWS 4 AUG 11 STN AnaVist workshops to be held in North America
NEWS 5 AUG 30 CA/Caplus -Increased access to 19th century research documents
NEWS 6 AUG 30 CASREACT - Enhanced with displayable reaction conditions
NEWS 7 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS 8 OCT 03 MATHDI removed from STN
NEWS 9 OCT 04 CA/Caplus-Canadian Intellectual Property Office (CIPO) added
to core patent offices
NEWS 10 OCT 06 STN AnaVist workshops to be held in North America
NEWS 11 OCT 13 New CAS Information Use Policies Effective October 17, 2005
NEWS 12 OCT 17 STN(R) AnaVist(TM), Version 1.01, allows the export/download
of Caplus documents for use in third-party analysis and
visualization tools
NEWS 13 OCT 27 Free KWIC format extended in full-text databases
NEWS 14 OCT 27 DIOGENES content streamlined
NEWS 15 OCT 27 EPFULL enhanced with additional content

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 08:37:21 ON 07 NOV 2005

=> file reg

11/07/2005

Page 1

Andrew Freistein 10/506,309

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 08:37:32 ON 07 NOV 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5

DICTIONARY FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*


Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\III_b.str



chain nodes :

7 8 9 10 11 13 14 15

11/07/2005

Page 2

Andrew Freistein 10/506,309


ring nodes :
1 2 3 4 5 6
chain bonds :
5-7 7-9 7-8 7-15 9-10 10-11 10-13 11-14
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6
exact/norm bonds :
7-8 7-15 10-11 10-13 11-14
exact bonds :
5-7 7-9 9-10
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 13:CLASS 14:CLASS 15:Atom
Generic attributes :
15:
Number of Carbon Atoms : less than 7
Type of Ring System : Monocyclic

Element Count :
Node 15: Limited
N,N1

L1 STRUCTURE UPLOADED

=> d
L1 HAS NO ANSWERS
L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11

11/07/2005

Page 3

Andrew Freistein 10/506,309

SAMPLE SEARCH INITIATED 08:38:01 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 17322 TO ITERATE

11.5% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 338560 TO 354320
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1


=> s l1 full
FULL SEARCH INITIATED 08:38:06 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 343697 TO ITERATE

97.9% PROCESSED 336601 ITERATIONS 34 ANSWERS

100.0% PROCESSED 343697 ITERATIONS 34 ANSWERS
SEARCH TIME: 00.00.22

L3 34 SEA SSS FUL L1

=>
Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\II_b.str



chain nodes :
1 2 3 4 5 6 7
chain bonds :
1-2 2-3 3-4 4-5 4-7 5-6
exact/norm bonds :
4-5 4-7 5-6
exact bonds :
1-2 2-3 3-4

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS

L4 STRUCTURE UPLOADED

=> s l4
SAMPLE SEARCH INITIATED 08:38:57 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 303 TO ITERATE

100.0% PROCESSED 303 ITERATIONS 2 ANSWERS
SEARCH TIME: 00.00.01

Andrew Freistein 10/506,309

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 5016 TO 7104
PROJECTED ANSWERS: 2 TO 124

L5 2 SEA SSS SAM L4

=> s 14 full

FULL SEARCH INITIATED 08:39:01 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 5743 TO ITERATE

100.0% PROCESSED 5743 ITERATIONS
SEARCH TIME: 00.00.01


54 ANSWERS

L6 54 SEA SSS FUL L4

=> d 14

L4 HAS NO ANSWERS



L4 STR



Structure attributes must be viewed using STN Express query preparation.

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\I_b.str



chain nodes :

7 9 10

ring nodes :

1 2 3 4 5 6

chain bonds :

5-7 7-9 7-10

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6

exact/norm bonds :

7-9 7-10

exact bonds :

Andrew Freistein 10/506,309

5-7

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 9:CLASS 10:Atom

Generic attributes :

10:

Number of Carbon Atoms : less than 7

Type of Ring System : Monocyclic

Element Count :

Node 10: Limited


N,N1

L7 STRUCTURE UPLOADED

=> d

L7 HAS NO ANSWERS

L7 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 17

SAMPLE SEARCH INITIATED 08:39:31 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 322215 TO ITERATE

0.6% PROCESSED 2000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

49 ANSWERS

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
BATCH **INCOMPLETE**

11/07/2005

Page 6

Andrew Freistein 10/506,309

PROJECTED ITERATIONS: 6411569 TO 6477031
PROJECTED ANSWERS: 152559 TO 163211

L8 49 SEA SSS SAM L7

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	323.52	323.73

FILE 'CAPLUS' ENTERED AT 08:39:40 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Nov 2005 VOL 143 ISS 20
FILE LAST UPDATED: 6 Nov 2005 (20051106/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 13

L9 24 L3

=> s 16

L10 166 L6

=> s 19 and 110

L11 2 L9 AND L10

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.90	324.63

FILE 'REGISTRY' ENTERED AT 08:40:59 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5
DICTIONARY FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

11/07/2005

Page 7

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*
*****
```



Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\III_b2.str



```
chain nodes :
1 2 3 4 5 6 7 8 10
chain bonds :
1-8 1-3 1-2 1-10 3-4 4-5 4-6 5-7
exact/norm bonds :
1-8 1-2 4-5 4-6 5-7
exact bonds :
1-3 1-10 3-4
```

```
Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:Atom 10:Atom
Generic attributes :
8:
Number of Carbon Atoms : less than 7
Type of Ring System : Monocyclic


Element Count :
Node 8: Limited
N,N1
```


L12 STRUCTURE UPLOADED

=> d

L12 HAS NO ANSWERS

L12 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l12

SAMPLE SEARCH INITIATED 08:41:17 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 59170 TO ITERATE

3.4% PROCESSED 2000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

0 ANSWERS



FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
BATCH **COMPLETE**

PROJECTED ITERATIONS: 1168908 TO 1197892
PROJECTED ANSWERS: 0 TO 0

L13 0 SEA SSS SAM L12

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\III_b3.str



chain nodes :

1 2 3 4 5 6 12 13

ring nodes :

7 8 9

chain bonds :

1-7 1-3 1-2 1-13 3-4 4-5 4-12 5-6

ring bonds :

7-8 7-9 8-9

exact/norm bonds :


Andrew Freistein 10/506,309

1-2 4-5 4-12 7-8 7-9 8-9
exact bonds :
1-7 1-3 1-13 3-4 5-6

Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:Atom 8:Atom 9:Atom
12:CLASS 13:Atom

L14 STRUCTURE UPLOADED

=> d
L14 HAS NO ANSWERS
L14 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 114
SAMPLE SEARCH INITIATED 08:43:08 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 66 TO ITERATE

100.0% PROCESSED 66 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 833 TO 1807
PROJECTED ANSWERS: 0 TO 0

L15 0 SEA SSS SAM L14

=> s 114 full
FULL SEARCH INITIATED 08:43:14 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 1356 TO ITERATE

100.0% PROCESSED 1356 ITERATIONS 3 ANSWERS
SEARCH TIME: 00.00.01

L16 3 SEA SSS FUL L14

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE TOTAL
ENTRY SESSION

Andrew Freistein 10/506,309

FULL ESTIMATED COST

162.62

487.25

FILE 'CAPLUS' ENTERED AT 08:43:25 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Nov 2005 VOL 143 ISS 20
FILE LAST UPDATED: 6 Nov 2005 (20051106/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l16

L17 2 L16

=> d ibib 1-2

L17 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2003:719450 CAPLUS
DOCUMENT NUMBER: 139:245905
TITLE: Process for preparation of optically active
 β -hydroxy esters
INVENTOR(S): Yamano, Toru; Taya, Naohiro; Ojida, Akio
PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan
SOURCE: PCT Int. Appl., 40 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003074487	A1	20030912	WO 2003-JP2563	20030305
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
CA 2478485	AA	20030912	CA 2003-2478485	20030305
JP 2003327577	A2	20031119	JP 2003-58506	20030305

Andrew Freistein 10/506,309

EP 1489070 A1 20041222 EP 2003-708491 20030305
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK
US 2005107433 A1 20050519 US 2003-506309 20030305
PRIORITY APPLN. INFO.: JP 2002-60402 A 20020306
WO 2003-JP2563 W 20030305
OTHER SOURCE(S): MARPAT 139:245905
REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L17 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
ACCESSION NUMBER: 2002:576071 CAPLUS
DOCUMENT NUMBER: 137:262610
TITLE: Highly Enantioselective Reformatskii Reaction of
Ketones: Chelation-Assisted Enantioface Discrimination
AUTHOR(S): Ojida, Akio; Yamano, Toru; Taya, Naohiro; Tasaka,
Akihiro
CORPORATE SOURCE: Medicinal Chemistry Research Laboratories, Takeda
Chemical Industries, Ltd., Osaka, 532-8686, Japan
SOURCE: Organic Letters (2002), 4(18), 3051-3054
CODEN: ORLEF7; ISSN: 1523-7060
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 137:262610
REFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 111 1-2

L11 ANSWER 1 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2003:719450 CAPLUS
DN 139:245905
TI Process for preparation of optically active β -hydroxy esters
IN Yamano, Toru; Taya, Naohiro; Ojida, Akio
PA Takeda Chemical Industries, Ltd., Japan
SO PCT Int. Appl., 40 pp.
CODEN: PIXXD2
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2003074487	A1	20030912	WO 2003-JP2563	20030305
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
	CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
	GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS,				
	LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL,				
	PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA,				
	UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
	KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,				
	FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,				
	BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	CA 2478485	AA	20030912	CA 2003-2478485	20030305
	JP 2003327577	A2	20031119	JP 2003-58506	20030305
	EP 1489070	A1	20041222	EP 2003-708491	20030305
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				
	IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				

Andrew Freistein 10/506,309

US 2005107433 A1 20050519 US 2003-506309 20030305
PRAI JP 2002-60402 A 20020306
WO 2003-JP2563 W 20030305
OS MARPAT 139:245905
RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 2 OF 2 CAPLUS COPYRIGHT 2005 ACS on STN
AN 2002:576071 CAPLUS
DN 137:262610
TI Highly Enantioselective Reformatskii Reaction of Ketones:
Chelation-Assisted Enantioface Discrimination
AU Ojida, Akio; Yamano, Toru; Taya, Naohiro; Tasaka, Akihiro
CS Medicinal Chemistry Research Laboratories, Takeda Chemical Industries,
Ltd., Osaka, 532-8686, Japan
SO Organic Letters (2002), 4(18), 3051-3054
CODEN: ORLEF7; ISSN: 1523-7060
PB American Chemical Society
DT Journal
LA English
OS CASREACT 137:262610
RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	5.75	493.00

FILE 'REGISTRY' ENTERED AT 08:45:24 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5
DICTIONARY FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

Andrew Freistein 10/506,309

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\III_b4.str



chain nodes :
1 2 3 4 5 6 7 8 10
chain bonds :
1-8 1-3 1-2 1-10 3-4 4-5 4-6 5-7
exact/norm bonds :
1-8 1-2 4-5 4-6 5-7
exact bonds :
1-3 1-10 3-4

Connectivity :
7:1 M minimum RC ring/chain
Match level :
1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:Atom 10:Atom
Generic attributes :
8:
Number of Carbon Atoms : less than 7
Type of Ring System : Monocyclic

Element Count :
Node 8: Limited
N,N1

L18 STRUCTURE UPLOADED

=> s 118

SAMPLE SEARCH INITIATED 08:45:39 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 59170 TO ITERATE

3.4% PROCESSED 2000 ITERATIONS 0 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 1168908 TO 1197892

Andrew Freistein 10/506,309

PROJECTED ANSWERS: 0 TO 0

L19 0 SEA SSS SAM L18

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.43	493.43

STN INTERNATIONAL LOGOFF AT 08:45:58 ON 07 NOV 2005

Andrew Freistein 10/506,309

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptabfl626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	JUL 20	Powerful new interactive analysis and visualization software, STN AnaVist, now available
NEWS	4	AUG 11	STN AnaVist workshops to be held in North America
NEWS	5	AUG 30	CA/CAPLUS - Increased access to 19th century research documents
NEWS	6	AUG 30	CASREACT - Enhanced with displayable reaction conditions
NEWS	7	SEP 09	ACD predicted properties enhanced in REGISTRY/ZREGISTRY
NEWS	8	OCT 03	MATHDI removed from STN
NEWS	9	OCT 04	CA/CAPLUS-Canadian Intellectual Property Office (CIPO) added to core patent offices
NEWS	10	OCT 06	STN AnaVist workshops to be held in North America
NEWS	11	OCT 13	New CAS Information Use Policies Effective October 17, 2005
NEWS	12	OCT 17	STN(R) AnaVist(TM), Version 1.01, allows the export/download of CAPLUS documents for use in third-party analysis and visualization tools
NEWS	13	OCT 27	Free KWIC format extended in full-text databases
NEWS	14	OCT 27	DIOGENES content streamlined
NEWS	15	OCT 27	EPFULL enhanced with additional content
NEWS EXPRESS		JUNE 13	CURRENT WINDOWS VERSION IS V8.0, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:09:23 ON 07 NOV 2005

=> file reg

11/07/2005

Page 1

Andrew Freistein 10/506,309

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 11:09:31 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5
DICTIONARY FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*



Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\form III_d.str



chain nodes :
1 2 3 4 5 6 7 8 10
chain bonds :
1-8 1-3 1-2 1-10 3-4 4-5 4-6 5-7
exact/norm bonds :
1-8 1-2 4-5 4-6 5-7
exact bonds :

Andrew Freistein 10/506,309

1-3 1-10 3-4

Connectivity :

7:1 M minimum RC ring/chain

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:Atom 10:Atom

Generic attributes :

8:

Saturation : Unsaturated

Number of Carbon Atoms : less than 7

Type of Ring System : Monocyclic

10:

Saturation : Unsaturated

Element Count :

Node 8: Limited


N,N1

L1 STRUCTURE UPLOADED

=> d

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 11

SAMPLE SEARCH INITIATED 11:09:49 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 59170 TO ITERATE

3.4% PROCESSED 2000 ITERATIONS

0 ANSWERS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE**

BATCH **COMPLETE**


PROJECTED ITERATIONS: 1168908 TO 1197892

PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\form III_d2.str



```

chain nodes :
1  2  3  4  5  6  7  8  10
ring nodes :
12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27
chain bonds :
1-8 1-3 1-2 1-10 3-4 4-5 4-6 5-7
ring bonds :
12-13 12-17 13-14 14-15 15-16 16-17 18-19 18-23 19-20 20-21 21-22 22-23
22-24 23-27 24-25 25-26 26-27
exact/norm bonds :
1-8 1-2 1-10 4-5 4-6 5-7
exact bonds :
1-3 3-4
normalized bonds :
12-13 12-17 13-14 14-15 15-16 16-17 18-19 18-23 19-20 20-21 21-22 22-23
22-24 23-27 24-25 25-26 26-27

```

G1:[*1],[*2]

Connectivity :

7:1 M minimum RC ring/chain

Match level :

```

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:Atom 10:Atom
12:Atom 13:Atom 14:Atom 15:Atom 16:CLASS 17:Atom 18:Atom 19:Atom 20:Atom
21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom

```

Generic attributes :

8:

Saturation : Unsaturated

Number of Carbon Atoms : less than 7

Type of Ring System : Monocyclic

Andrew Freistein 10/506,309

Element Count :
Node 8: Limited
N,N1

L3 STRUCTURE UPLOADED

=> d

L3 HAS NO ANSWERS

L3 STR

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Structure attributes must be viewed using STN Express query preparation.

=> s 13

SAMPLE SEARCH INITIATED 11:12:20 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 19337 TO ITERATE

10.3% PROCESSED 2000 ITERATIONS 1 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
PROJECTED ITERATIONS: 378416 TO 395064
PROJECTED ANSWERS: 7 TO 379

L4 1 SEA SSS SAM L3

=> s 13 full

FULL SEARCH INITIATED 11:12:28 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 384096 TO ITERATE

97.2% PROCESSED 373235 ITERATIONS 39 ANSWERS
100.0% PROCESSED 384096 ITERATIONS 39 ANSWERS
SEARCH TIME: 00.00.27

L5 39 SEA SSS FUL L3

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	163.48	163.69

FILE 'CAPLUS' ENTERED AT 11:13:00 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December

Andrew Freistein 10/506,309

26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN. Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 7 Nov 2005 VOL 143 ISS 20
FILE LAST UPDATED: 6 Nov 2005 (20051106/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 15

L6 25 L5

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.45	164.14

FILE 'REGISTRY' ENTERED AT 11:13:11 ON 07 NOV 2005
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2005 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5
DICTIONARY FILE UPDATES: 6 NOV 2005 HIGHEST RN 866821-44-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2005

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.


REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

Andrew Freistein 10/506,309

=>

Uploading C:\Program Files\Stnexp\Queries\10506309\FAOM\New Folder\II_b.str



chain nodes :

1 2 3 4 5 6 7

chain bonds :

1-2 2-3 3-4 4-5 4-7 5-6

exact/norm bonds :

4-5 4-7 5-6

exact bonds :

1-2 2-3 3-4

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS

L7 STRUCTURE UPLOADED

=> s 17 full

FULL SEARCH INITIATED 11:13:31 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 5743 TO ITERATE

100.0% PROCESSED 5743 ITERATIONS

54 ANSWERS

SEARCH TIME: 00.00.01

L8 54 SEA SSS FUL L7

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

161.33

325.47

FILE 'CAPLUS' ENTERED AT 11:13:36 ON 07 NOV 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 7 Nov 2005 VOL 143 ISS 20

FILE LAST UPDATED: 6 Nov 2005 (20051106/ED)

11/07/2005

Page 7

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 18

L9 166 L8

=> s 19 and 16

L10 3 L9 AND L6

=> d ibib abs hitstr 1-3

L10 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2003:719450 CAPLUS

DOCUMENT NUMBER: 139:245905

TITLE: Process for preparation of optically active
β-hydroxy esters

INVENTOR(S): Yamano, Toru; Taya, Naohiro; Ojida, Akio

PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan

SOURCE: PCT Int. Appl., 40 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003074487	A1	20030912	WO 2003-JP2563	20030305
W:				
AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,				
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,				
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS,				
LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL,				
PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA,				
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW:				
GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,				
KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES,				
FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR,				
BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2478485	AA	20030912	CA 2003-2478485	20030305
JP 2003327577	A2	20031119	JP 2003-58506	20030305
EP 1489070	A1	20041222	EP 2003-708491	20030305
R:				
AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 2005107433	A1	20050519	US 2003-506309	20030305
PRIORITY APPLN. INFO.:			JP 2002-60402	A 20020306
			WO 2003-JP2563	W 20030305

OTHER SOURCE(S): MARPAT 139:245905

AB This invention pertains to a method for producing optically active
β-hydroxy esters represented by the general formula of
HO-C(R1R2)-C(R4R5)-CO2R3 [wherein R1 = H, (un)substituted hydrocarbyl, or
heterocyclyl; R2 = (un)substituted heterocyclyl; R3 = (un)substituted
hydrocarbyl or heterocyclyl; R4 and R5 = independently H, halo,
(un)substituted silyl, hydrocarbyl, or heterocyclyl], characterized by
reacting R1COR2 with X-Zn-C(R4R5)-CO2R3 [where X= halo] in the presence of
a cinchona alkaloid. For example, 2-benzoylpyridine was reacted with a
Reformatskii reagent in THF in the presence of cinchonine and pyridine to
give 3-hydroxy-3-phenyl-3-(pyridin-2-yl)propionic acid tert-Bu ester (98%)

Andrew Freistein 10/506,309

with 90% e.e. This invention provides a method to make optically active β -hydroxy esters in high yield with high e.e.


IT 51656-70-3

RL: RCT (Reactant); RACT (Reactant or reagent)

(Reformatskii reagent; preparation of optically active hydroxy esters using Reformatskii reagent)

RN 51656-70-3 CAPLUS

CN Zinc, bromo[2-(1,1-dimethylethoxy)-2-oxoethyl]- (9CI) (CA INDEX NAME)




IT 596806-39-2P 596806-40-5P

RL: SPN (Synthetic preparation); PREP (Preparation)

(optically active; preparation of optically active hydroxy esters using Reformatskii reagent)


RN 596806-39-2 CAPLUS

CN 2-Pyridinepropanoic acid, β -hydroxy- β -phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 596806-40-5 CAPLUS

CN 2-Pyridinepropanoic acid, β -(4-chlorophenyl)- β -hydroxy-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT:

4

THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10. ANSWER 2 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2003:570964 CAPLUS

DOCUMENT NUMBER: 139:133566

TITLE: Process for producing fused imidazole compound, Reformatskii reagent in stable form, and process for producing the same


INVENTOR(S): Kawakami, Jun-ichi; Nakamoto, Koji; Nuwa, Shigeru; Handa, Syoji; Miki, Shokyo

PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan


SOURCE: PCT Int. Appl., 141 pp.

DOCUMENT TYPE: CODEN: PIXXD2
 LANGUAGE: Patent
 FAMILY ACC. NUM. COUNT: Japanese
 PATENT INFORMATION: 1


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003059889	A1	20030724	WO 2003-JP300092	20030109
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2472821	AA	20030724	CA 2003-2472821	20030109
JP 2004161726	A2	20040610	JP 2003-3231	20030109
EP 1471056	A1	20041027	EP 2003-700504	20030109
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 2005043544	A1	20050224	US 2004-500999	20041001
PRIORITY APPLN. INFO.:			JP 2002-3821	A 20020110
			JP 2002-279438	A 20020925
			WO 2003-JP92	W 20030109
OTHER SOURCE(S):		MARPAT 139:133566		
GI				




I



II



III



VI

AB Disclosed are a process for industrially advantageously producing a

steroid C17,20-lyase inhibitor represented by the following general formula [I; Ra = H, a substituent; Ar = (un)substituted aromatic hydrocarbyl; Y1, Y2 = H, a substituent; the ring B = (un)substituted N-containing ring; n = an integer of 1-3] and a Reformatskii reagent in a stable form which is suitable for use in the production process. Either a specific β -hydroxy ester compound derivative (II; R = an ester residue; Ra, Ar, the ring B, Y1,

Y2,

n = same as above) obtained from a specific carbonyl compound by the Reformatskii reaction or a salt of the compound is reduced in the presence of a metal/hydrogen complex compound and a metal halide to an alc. (III; Ra, Ar, the ring B, Y1, Y2, n = same as above) and then subjected to ring closure to thereby obtain a compound represented by the general formula I. In the Reformatskii reaction, a stable solution of the compound represented by $\text{BrZnCH}_2\text{CO}_2\text{C}_2\text{H}_5$ or crystals of the compound represented by $(\text{BrZnCH}_2\text{CO}_2\text{Et} \cdot \text{THF})_2$ are useful. Thus, 10 L THF and 253 mL chlorotrimethylsilane were successively added to 2,616 g Zn powder, stirred at 25° for 30 min, treated dropwise with a solution of 2,212 mL Et bromoacetate in 25 l THF, and stirred at 31-35° for 30 min to give a Reformatskii reagent solution which was treated with 21.2 g (+)-cinchonine at 0-5° and then dropwise with 18.6 mL pyridine at 0-5° over 7 min, stirred at 0-5° for 20 min, treated dropwise with a solution of 30 g N-methyl-6-[(1-trityl-1H-imidazol-4-yl)carbonyl]-2-naphthamide in 300 mL THF over 30 min at -42° to -40°, and stirred at -45° to -40° for 1 h to give, after workup, 29.2 g Et (3S)-3-hydroxy-3-[6-[(methylamino)carbonyl]-2-naphthyl]-3-(1-trityl-1H-imidazol-4-yl)propanoate (IV) (83% yield, 93.5% ee). THF (13 mL) and 0.645 g NaBH_4 were successively added to 1.3 g IV and the resulting mixture was treated with 0.95 g CaCl_2 at 2° and then dropwise with 13 mL ethanol over 15 min at 2°, stirred at 3-4° for 30 min and at 40-43° for 4 h to give, after workup, 1.08 g 6-[(1S)-1,3-dihydroxy-1-(1-trityl-1H-imidazol-4-yl)propyl]-N-methyl-2-naphthamide (V) (89% yield, 92.0% ee). THF (7 mL) and 0.42 mL diisopropylethylamine were successively added to 0.35 g V and the resulting mixture was treated dropwise with 0.07 mL methanesulfonyl chloride at 0-5°, stirred at 0-5° for 40 min, treated with 1.8 mL MeOH and 3.5 mL MeCN, and stirred at 60-65° for 4 h to give, after workup, 0.87 g 6-[(7S)-7-hydroxy-6,7-dihydro-5H-pyrrolo[1,2-c]imidazol-7-yl]-N-methyl-2-naphthamide (VI) (62%, 98.2% ee).

IT 53429-22-4P, Methoxycarbonylmethylzinc bromide 53429-23-5P

, Isopropoxycarbonylmethylzinc bromide


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(THF solution; preparation of fused imidazole compound steroid lyase inhibitor by

Reformatskii reaction using stable alkoxycarbonylmethylzinc bromide, reduction of β -hydroxy esters, and cyclization)


RN 53429-22-4 CAPLUS

CN Zinc, bromo(2-methoxy-2-oxoethyl)- (9CI) (CA INDEX NAME)




RN 53429-23-5 CAPLUS


CN Zinc, bromo[2-(1-methylethoxy)-2-oxoethyl]- (9CI) (CA INDEX NAME)



IT **51656-70-3P**, tert-Butoxycarbonylmethylzinc bromide
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(THF solution; preparation of stable ethoxycarbonylmethylzinc bromide-THF
complex or alkoxycarbonylmethyl zinc bromide solution for Reformatskii
reaction of carbonyl compds.)
RN 51656-70-3 CAPLUS
CN Zinc, bromo[2-(1,1-dimethylethoxy)-2-oxoethyl]- (9CI) (CA INDEX NAME)




IT **5764-82-9P**, Ethoxycarbonylmethylzinc bromide
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(organic solvent solution; preparation of fused imidazole compound steroid
lyase
inhibitor by Reformatskii reaction using stable
alkoxycarbonylmethylzinc bromide, reduction of β -hydroxy esters, and
cyclization)
RN 5764-82-9 CAPLUS
CN Zinc, bromo(2-ethoxy-2-oxoethyl)- (9CI) (CA INDEX NAME)



IT **566200-78-0P**, Ethyl (3S)-3-hydroxy-3-[6-[(methylamino)carbonyl]-2-naphthyl]-3-(1-trityl-1H-imidazol-4-yl)propanoate **566200-80-4P**, Isopropyl (3S)-3-hydroxy-3-[6-[(methylamino)carbonyl]-2-naphthyl]-3-(1-trityl-1H-imidazol-4-yl)propanoate **566200-92-8P**, **566200-93-9P** **566200-97-3P**, Ethyl 3-hydroxy-3-[6-[(methylamino)carbonyl]-2-naphthyl]-3-(1-trityl-1H-imidazol-4-yl)propanoate **566200-98-4P**, tert-Butyl (3S)-3-hydroxy-3-[6-[(methylamino)carbonyl]-2-naphthyl]-3-(1-trityl-1H-imidazol-4-yl)propanoate
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation of fused imidazole compound steroid lyase inhibitor by
Reformatskii reaction using stable alkoxycarbonylmethylzinc bromide,
reduction of β -hydroxy esters, and cyclization)
RN 566200-78-0 CAPLUS
CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -[6-[(methylamino)carbonyl]-2-naphthalenyl]-1-(triphenylmethyl)-, ethyl ester, (3S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 566200-80-4 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -[6-[(methylamino)carbonyl]-2-naphthalenyl]-1-(triphenylmethyl)-, 1-methylethyl ester, (β S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 566200-92-8 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -[6-[(methylamino)carbonyl]-2-naphthalenyl]-1-(triphenylmethyl)-, methyl ester, (β S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 566200-93-9 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -[6-[(methylamino)carbonyl]-2-naphthalenyl]-1-(triphenylmethyl)-, propyl ester, (β S)- (9CI) (CA INDEX NAME)

Andrew Freistein 10/506,309


ester, (βS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 566200-97-3 CAPLUS


CN 1H-Imidazole-4-propanoic acid, β-hydroxy-β-[6-[(methylamino)carbonyl]-2-naphthalenyl]-1-(triphenylmethyl)-, ethyl ester (9CI) (CA INDEX NAME)



RN 566200-98-4 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β-hydroxy-β-[6-[(methylamino)carbonyl]-2-naphthalenyl]-1-(triphenylmethyl)-, 1,1-dimethylethyl ester, (βS)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 426219-55-8P


RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of fused imidazole compound steroid lyase inhibitor by

Andrew Freistein 10/506,309

Reformatskii reaction using stable alkoxycarbonylmethylzinc bromide,
reduction of β -hydroxy esters, and cyclization)

RN 426219-55-8 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β -[6-[[bis(1-methylethyl)amino]carbonyl]-2-naphthalenyl]- β -hydroxy-1-(triphenylmethyl)-, ethyl ester (9CI) (CA INDEX NAME)



REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L10 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2005 ACS on STN

ACCESSION NUMBER: 2002:576071 CAPLUS

DOCUMENT NUMBER: 137:262610

TITLE: Highly Enantioselective Reformatskii Reaction of Ketones: Chelation-Assisted Enantioface Discrimination
AUTHOR(S): Ojida, Akio; Yamano, Toru; Taya, Naohiro; Tasaka, Akihiro

CORPORATE SOURCE: Medicinal Chemistry Research Laboratories, Takeda Chemical Industries, Ltd., Osaka, 532-8686, Japan

SOURCE: Organic Letters (2002), 4(18), 3051-3054

CODEN: ORLEF7; ISSN: 1523-7060

PUBLISHER: American Chemical Society

DOCUMENT TYPE: Journal

LANGUAGE: English

OTHER SOURCE(S): CASREACT 137:262610


AB Highly enantioselective Reformatskii reaction of ketones was accomplished using cinchona alkaloids as chiral ligands. Chelation with the sp²-nitrogen adjacent to the reactive carbonyl center contributed to the enantioface discrimination for the high enantioselectivities.

IT 51656-70-3

RL: RCT (Reactant); RACT (Reactant or reagent)
(chelation-assisted enantioface discrimination in asym. Reformatskii reactions)

RN 51656-70-3 CAPLUS

CN Zinc, bromo[2-(1,1-dimethylethoxy)-2-oxoethyl]- (9CI) (CA INDEX NAME)



IT 463304-61-2P 463304-66-7P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(chelation-assisted enantioface discrimination in asym. Reformatskii reactions)

Andrew Freistein 10/506,309

RN 463304-61-2 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -2-naphthalenyl-1-(triphenylmethyl)-, 1,1-dimethylethyl ester, (β S)- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (+).



RN 463304-66-7 CAPLUS

CN 2-Pyridinepropanoic acid, β -hydroxy- β -phenyl-, 1,1-dimethylethyl ester, (β S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



IT 463304-64-5P 463304-67-8P 463304-68-9P


805247-65-8P

RL: SPN (Synthetic preparation); PREP (Preparation)
(chelation-assisted enantioface discrimination in asym. Reformatskii reactions)

RN 463304-64-5 CAPLUS


CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -phenyl-1-(triphenylmethyl)-, 1,1-dimethylethyl ester, (-)- (9CI) (CA INDEX NAME)

Rotation (-).




RN 463304-67-8 CAPLUS

CN 3-Pyridinepropanoic acid, β -hydroxy- β -phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 463304-68-9 CAPLUS


CN 4-Pyridinepropanoic acid, β -hydroxy- β -phenyl-, 1,1-dimethylethyl ester (9CI) (CA INDEX NAME)



RN 805247-65-8 CAPLUS

CN 1H-Imidazole-4-propanoic acid, β -hydroxy- β -2-naphthalenyl-1-(triphenylmethyl)-, 1,1-dimethylethyl ester, (BR)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT:

22

THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION

Andrew Freistein 10/506,309

FULL ESTIMATED COST	16.17	341.64
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
CA SUBSCRIBER PRICE	ENTRY	SESSION
	-2.19	-2.19

STN INTERNATIONAL LOGOFF AT 11:15:23 ON 07 NOV 2005